



# ELM8

Press Release

# ELINCHROM ANNOUNCE THE ELM8 CONTINUOUS LED LIGHT.

**Today, Elinchrom releases the ELM8. Manufactured by Light & Motion with Elinchrom, the ELM8 is the most portable, powerful and progressive modular system of point source continuous LED lights.**

August 5, 2019, Renens, Switzerland



**ELM8**  
850-0390.XX

## **Elinchrom + Light & Motion.**

Known for providing photographers with premium lighting solutions including a collection of world-class light shaping tools, Elinchrom has become an iconic brand in the photographic world.

Light & Motion, one of the most forward-thinking LED light manufacturers, has brought their game-changing technology to the broadcast and video world with a range of ultra-portable, powerful, robust continuous lights.

## **Cordless LED continuous light with complete Elinchrom integration.**

Small, powerful and cordless, the ELM8 is the most versatile continuous LED light on the market. Complete integration with Elinchrom's unique system and light shaping tools makes the ELM8 the perfect match for Elinchrom users' existing lighting kit.

With its rugged and compact design, the ELM8 allows freedom to shoot anywhere, anytime and in any weather conditions.

### Capture What You See.

With an outstanding light output of 8000 lumens, the ELM8 provides a consistent, beautiful beam with precise color, making it the ideal light for photo & video creators demanding minimal weight with remarkable power.

### Shape & Control Your Light.

Extend the use of your gear and benefit from Elinchrom's unique light-shaping accessories. A new Elinchrom Remote Control dedicated to continuous light is available to conveniently manage the lights' settings from the camera/monitor, in any environment, allowing content creators everywhere to work efficiently.

[www.elinchrom.com/continuous/elm8.html](http://www.elinchrom.com/continuous/elm8.html)

## ELM8

PRICES & AVAILABILITY

### Availability

The Elinchrom ELM8 will be available starting on August 5th 2019.

### Street Price\*

€1379 EUR    \$1699 USD

\*Excluding taxes

#### BOX CONFIGURATION

- 1x ELM8
- 1x AC Charger
- 2 Years Warranty



**Remote Control**  
(not included)  
19300



**International Micro-USB  
Charger Kit**  
(not included)  
19276



## **ELM8** FEATURES

### Skyport

- Skyport Receiver built-in: 20 Frequencies, 4 Groups.
- Elinchrom Remote Control option.

### LED Continuous Light

- Consistent light output at all power levels.
- High output COB LED.
- Flicker-Free performances.

### Lightshapers & Accessories

- Compatible with all Elinchrom Q-Mount accessories.
- Compatible with the complete EL range lightshapers with the EL Adapter MKII.

### Cordless Work

- Self-contained rechargeable power source.
- Integrated Li-Ion Battery.

### Certified Precision

Each ELM8 is comprehensively tested according to the FL-1 Standard and provides precise details about the lumen output, color temp., CRI, TLCI, and LUX rating. Performance precision.

## **ELM8** SPECIFICATIONS

<b>CRI</b>	93
<b>TLCI</b>	94
<b>Color Temp</b>	5600 K
<b>LUX (w/Fresnel)</b>	16320 at 1 m
<b>Light Output</b>	8000 Lumens
<b>Native Beam Angle</b>	120°
<b>Water Resistance</b>	IP54
<b>Impact Resistance</b>	1 m
<b>Runtime</b>	50-245 min
<b>Weight</b>	1.2 kg / 2.6 lb
<b>Charge Time</b>	105 min
<b>Size (L x W x H cm/inch)</b>	20.5 x 9.6 x 9.6 cm 8.1" x 3.8" x 3.8"
<b>Remote Distance Range</b>	Up to 100 m
<b>Skyport</b>	20 Frequencies / 4 Groups

# ELM8

## CODE NUMBERS

<b>ELM8</b>	850-0390.1	A portable and cordless LED continuous light unit.
<b>Remote Control</b>	19300	A remote control to control at distance power and settings.
<b>International Micro-USB Charger Kit</b>	19276	EUR, UK, US, AUS mains plug adapters for the Elinchrom Remote Control.

## DIRECT MOUNT ACCESSORIES

### Elinchrom Q-Mount

<b>Q-Portalite Octa 56 cm</b>	26600	A small Octabox designed to work as a little beauty dish when used with the optional deflector set.
<b>Q-Portalite Square 40 cm</b>	26151	Very compact, this small size softbox has been designed for portraits and product photography.
<b>Q-Wide Reflector 13.5 cm</b>	26145	This reflector offers a wide angle light distribution as a stand alone or umbrella reflector.
<b>Q-Reflector Grid 18 cm</b>	26056	Combines a high output with a good spread of light. Accepts 18 cm grids. Offers one extra stop of light.



Q-Portalite  
Octa 56 cm  
26600



Q-Portalite  
Square 40 cm  
26151



Q-Wide Reflector  
13.5 cm  
26145



Q-Reflector  
Grid 18 cm  
26056

### Light & Motion DM-Mount

<b>50° Focus Optic DM</b>	800-0337-A	This optic narrows the beam of the ELM8 from 120° to 50° providing a smooth beam with gentle fall off.
<b>Dome Port DM</b>	800-0335-A	Creates a wide and diffused light, can be combined with the EL Modifier interface and the Barn Doors.



50° Focus  
Optic DM  
800-0337-A



Dome  
Port DM  
800-0335-A

### Adapters

<b>Q-Reflector Adapter MKII</b>	26342	Gives access to the complete range of Elinchrom accessories other than Q-Mount.
<b>EL Modifier Interface</b>	800-0343-A	Gives access to the Light & Motion accessories below.



Q-Reflector  
Adapter MKII  
26342



EL Modifier  
Interface  
800-0343-A

## LIGHT & MOTION ACCESSORIES

<b>Glo Bulb Diffuser</b>	800-0282-A	Diffuses and evenly spreads light similar to a Chinese lantern. Perfect for top-down lighting situations such as table discussions and interviews. Small, rugged press-on design attaches to the ELM8 quickly and effortlessly with the EL Modifier interface.	<b>Features:</b> <ul style="list-style-type: none"> <li>• Ideal overhead lighting</li> <li>• 180° Beam</li> <li>• Use in softbox to eliminate hot spot</li> </ul>
<b>Fresnel 25°</b>	800-0302-A	Modifies the ELM8 beam into a precise spot ideal for isolating subjects. Press-on design allows optic to be fixed or removed in seconds for rapid beam adjustments, with the EL Modifier Interface.	
<b>Barn Doors</b>	800-0284-A	Utilize to concentrate the light source and prevent spillover light that could be distracting to a live audience. Robust press-on design mounts quickly and securely to the ELM8, with the EL Modifier Interface.	
<b>Speedring Gel Holder, 82 mm</b>	800-0283-B	Attaches securely to the ELM8, with the EL Modifier Interface for 3x3" hard gels. Includes 3" Gel Frame.	



Glo Bulb  
Diffuser  
800-0282-A



Fresnel  
25°  
800-0302-A



Barn  
Doors  
800-0284-A



Speedring  
Gel Holder  
800-0283-B

# ABOUT ELINCHROM

## **We deliver lighting solutions to all visual creators.**

By creating the world's most portable and durable lighting gear, we desire above all else to be a source of inspiration to all adventurous spirits everywhere; helping them capture and share life's most beautiful and greatest moments.

We are the brand that brings light to their adventures.

## CONTACT

**Facebook:** [@ElinchromLTD](#)  
**Twitter:** [@ElinchromLTD](#)  
**Instagram:** [@elinchrom\\_ltd](#)  
**YouTube:** [@elinchromLTD](#)

**US Contact:** [jeffl@macgroupus.com](mailto:jeffl@macgroupus.com)  
**General Contact:** [elinchrom@elinchrom.ch](mailto:elinchrom@elinchrom.ch)

# ABOUT LIGHT & MOTION

## **Beyond bright, we are Powerful.**

Delivering remarkable output from some of the most innovative, lightweight lights on the market, lights that deliver certified high TLCI and high CRI in a daylight or Tungsten balanced head.

We are Portable, making the most com-pact easy-to-use lights in the industry. We are Progressive, one of the few lighting brands to design and build our products in the USA and the only brand to certify our products to the rigorous FL-1 Standard.

[www.stellaprolights.com](http://www.stellaprolights.com)