



Quadra HS Head

Press release

Elinchrom announces a new Quadra flash head for the ELB 400 and Quadra series, dedicated to Hi-Sync photography.

The **Quadra HS Head** is a powerful, full-functioning miniaturized flash head which is compatible with the ELB 400 and all previous generations of Quadra packs.

Built to be as portable as possible and weighing only 0.28 kg (0.62 lbs.), this head not only packs well but it is mountable in situations that would be impossible for a full-sized flash head.

The HS designation denotes the system's optimized head for Hi-Sync photography such as high shutter speeds or overpowering the sun and limits to a minimum the gradient effect. It is ideal to use in conjunction with the new **EL-Skyport transmitter Plus HS**.

The **Quadra HS head** also integrates a daylight balanced LED modelling lamp that produces the equivalent of 50W of tungsten light output.

There exist many portable accessories dedicated to the Quadra mount but Elinchrom also offers the **Quadra reflector adapter** for those who want full access to the complete range of Elinchrom accessories, including **Rotalux**, **Litemotiv**, etc.

The head includes an interchangeable 2.5 m head cable, the Quadra reflector 13.5 cm with multifunction cap and a Quadra protective cap.

The new flash head can be purchased either as a single item or in a set with the widely acclaimed ELB 400.

For more information.

Globally, contact : elinchrom@elinchrom.ch

In the U.S., contact Will Holowka at : willh@macgroupus.com



ABOUT ELINCHROM

Elinchrom has been at the forefront of photographic lighting technology since the earliest days of studio flash manufacture. A result of constant product refinements and a dedication to research and development, our products are owned and rented by the world's leading photographers.

From our headquarters and manufacturing facility overlooking Lake Geneva, we export Elinchrom studio flash around the world.

IN THE BOX

Quadra HS Flash Head EL20153

- 1x Quadra HS head (20153)
- 1x Quadra head cable 2.5 m (11001)
- 1x Quadra reflector 13.5 cm (26145)
- 1x Quadra multifunction cap (25100)
- 1x Quadra protective cap (25101)
- 2-year warranty

ELB 400 One HS To Go EL10416.1

- 1x ELB 400 w/ battery, charger and strap (10279.1)
- 1x Quadra HS head (20153)
- 1x Quadra head cable (11001)
- 1x Sync cable PC-3.5mm / 5 m (11088)
- 2-year warranty



SPECIFICATIONS

Maximum Watt/seconds	424
F-stop at full power	90.0 (at 1m, 100 ISO, reflector 48°)
Flash duration	Port A 100%: 1/550 Port B 33%: 1/1100
User replaceable flashtube	Yes
Changeable reflector	Yes, Quadra mount Full range of Elinchrom accessories via the Quadra reflector adapter
Circuit protection	Yes
Interchangeable cable	Yes
Modelling lamp wattage	Daylight LED: 50 W tungsten equivalent
Modelling lamp on/off switch	On separately purchased pack
Fan cooled	No
Dimensions	8.0 x 7.5 cm (3.1 x 2.9") without folding stand mount or reflector
Weight	0.28 kg (0.62 lbs)